

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	("5892914" "5933849" "6167438" "6185601" "6205481" "6212565").pn.	USPAT	OR	OFF	2007/04/15 15:01
S206	1	"20030065743".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 15:03
S207	52	retrieve near3 cache and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:17
S179	73	retrieve near3 cache and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20060501")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:17
S209	1	(hot adj cache) and (forward with request) and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:18
S208	30	determin\$5 with request\$3 with (content data) same (static dynamic) and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/15 16:18
S203	24	cache with static with dynamic and (@pd>"20060501") and (@ad<"20010928" or @rlad<"20010928")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:18
S199	22	(hot adj cache) and (forward with request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:18
S195	31	determin\$5 with request\$3 with (content data) same (static dynamic) and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20060501")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/15 16:18
S214	171	709/219.ccls. and (@pd>"20061020") and (@ad<"20010928" or @rlad<"20010928")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S213	2	709/219.ccls. and (@pd>"20061020") and hot near3 cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19

EAST Search History

S21 2	331	709/219.ccls. and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S21 1	120	cache with static with dynamic and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S21 0	20	cache with static with dynamic and (@pd>"20061020") and (@ad<"20010928" or @rlad<"20010928")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S20 2	138	cache with static with dynamic and (@pd>"20060501")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S19 3	3	709/219.ccls. and (@pd>"20060501") and hot near3 cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S18 2	4066	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:19
S21 6	1	S212 and S215	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:20
S21 5	5	cache same (hash hashing) same (forward\$4 adj request) and forward\$4 and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:20
S95	19	cache same (hash hashing) same (forward\$4 adj request) and forward\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:20
S21 7	2	hot adj cache and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:21
S19 8	49	hot adj cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:21
S21 9	27	retrieve near3 cache and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20061020") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:22

EAST Search History

S21 8	52	retrieve near3 cache and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20061020")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:22
S15 3	121	retrieve near3 cache and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20050801")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:22
S22 0	1	retrieve near3 cache and (@ad<"20010928" or @rlad<"20010928") and (@pd>"20061020") and "709".clas. and request\$6.ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/04/15 16:23